AP Statistics
Mrs. Spano
2018-2019

Name

Summer Assignment

Welcome future statisticians! In August you will embark on a wonderful journey of exploring data analysis, but first you need to make sure that you have the necessary skills covered in previous math courses. The purpose of this assignment is to refresh your knowledge on statistics and demonstrate your abilities to analyze data and determine conclusions.

All of your work is attached with all instructions. This work is due the first day of school and will be collected and graded, so please take the assignment seriously. There will also be an assessment on the materials in this packet within the first week of returning to school.

If you have any questions or clarifications, email me (kspano@oxfordasd.org).

Late work will result in the following penalties:

1 day late Loss of ¼ of total points 2 days late Loss of ½ of total points

More than 2 days late NO CREDIT

Helpful Websites

Listed below are some internet sites that contain information regarding statistics and other mathematical topics that you may find helpful for this assignment and throughout the course of the year.

http://www.purplemath.com/modules/index.htm

http://www.khanacademy.org/

http://www.statrek.com

Calculators

A TI-83 is the minimum calculator needed for this course (A TI-84 or 84 Plus is better), and may be helpful in completing the assignment.

The summer assignment is composed of four parts.

- 1. Reading and Vocabulary: You will use a free online Statistical tutoring site that will give you information on variables and data displays. While reviewing information on the site you will be completing a vocabulary list (on preceding pages). Follow the steps below:
 - Go to www.stattrek.com
 - Click on "tutorial"
 - On the left side of the screen is a list of tutorials available. Click on the AP Statistics tutorial.
 - A list of general topics will appear on the left hand side of the screen. When you click on the general topic a list of subtopics will appear. You will read or watch the video on the following subtopics to complete the vocabulary list.

General Topi	c: The Basics
Subtopics:	Variables
	Populations vs. Samples
	Central tendency
	Variability
	Position
General Topic: C	harts and Graphs
Subtopics:	Patterns in data
	Dotplots
	Histograms
	Stemplots
	Boxplots
	Cumulative Plots
	Scatterplots
	Comparing data sets
General Topic:	Categorical Data
Subtopics:	One-way tables
	Two-way tables

- **2. Practice Problems.** After reading all the material above, you should be able to complete the questions in the remaining pages of this packet. You may do so in the spaces provided.
- **3. Review Problems.** Please use your prior mathematical knowledge and skills to answer the questions in the review section. You may do so in the spaces provided.
- **4. AP Statistics Exam.** Read the following information provided obtained from College Board regarding the AP Statistics Exam and answer the questions.

Part I: Vocabulary List

Please define each of the following terms from the information on the stattrek website. When asked to provide an example of the word, provide a unique example of the word NOT given on the website.

1. Categorical Variables
Example:
2. Quantitative Variables
Example:
3. Discrete Variables
4. Continuous Variables
5. Univariate Data
6. Bivariate Data
7. Population
Example:
8. Sample
Example:
9. Parameter
10. Statistic
11. Median
12. Mean

13. Range	
14. IQR	
15. Variance	
Formula:	
16. Standard Deviation	
Formula:	
17. Standard Score (z-score)	
Formula:	
18. Center	
19. Spread	
20. Symmetry	
Sketch:	
21. Unimodal	
Sketch:	
22. Bimodal	
Sketch:	
23. Skewness	
Sketch Skewed left:	Sketch Skewed right:


24. Uniform
Sketch:
25. Gaps
Sketch:
26. Outliers
Sketch:
27. Dotplots
28. Difference between a bar chart and histogram
29. Stemplots
30. Boxplots
31. Quartiles
32. Range
33. Interquartile Range

34. Difference between a frequency table and relative frequency table
35. Four Ways to Describe Data Sets
36. Types of Graphs that can be used for comparing data
37. Marginal Distribution
38. Conditional Distribution
39. Segmented Bar Chart

Part II: Practice Problems

- Categorical or Quantitative: Determine if the variables listed below are quantitative or categorical
 - a. Time it takes to get to school
 - b. Number of people under 18 living in a household
 - c. Hair color
 - d. Temperature of a cup of coffee
 - e. Teacher salaries
 - f. Gender
 - g. Smoking
 - h. Height
 - i. Amount of oil spilled
 - j. Age of Oscar winners
 - k. Type of depression medication
 - 1. Jellybean flavors
 - m. Country of origin
 - n. Type of meat
 - o. Number of shoes owned
- 2. Accidental Deaths
 - a. In 1997, there were 92,353 deaths from accidents in the United States. Amount these were 42,340 deaths from motor vehicle accidents, 11,858 from falls, 10,163 from poisoning, 4051 from drowning, and 3601 from fires. The rest were listed as "other" causes.
 - Find the percent of accidental deaths from each of these causes, rounded to the nearest percent.
 - ii. What percent of accidental deaths were from "other causes"?

iii. Neatly create a well-labeled bar graph of the distribution of causes of accidental deaths. Be sure to include an "other causes" bar.



iv. A pie chart is another graphical display used to show all categories in a categorical variable relative to each other. Create a pie chart for the accidental death percentages. You may try using a software or internet source to make one and paste in the space below.

3. Shopping Spree

a. A marketing consultant observed 50 consecutive shoppers at a supermarket. One variable of interest was how much each shopper spent in the store. Here is the data (round to the nearest dollar), arranged in increasing order.

3	9	9	11	13	14	15	16	17	17
18	18	19	20	20	20	21	22	23	24
25	25	26	26	28	28	28	28	32	35
36	39	39	41	43	44	45	45	47	49
50	53	55	59	61	70	83	86	86	93

b. Make a stemplot using tens of dollars as the stem and dollars as the leaves. Make sure you include appropriate labels.

4. Where do older folks live?

 This table gives the percentage of residents aged 65 or older in each of the 50 states

State	Percent	State	Percent	State	Percent
Alabama	13.1	Louisiana	11.5	Ohio	13.4
Alaska	5.5	Maine	14.1	Oklahoma	13.4
Arizona	13.2	Maryland	11.5	Oregon	13.2
Arkansas	14.3	Massachusetts	14.0	Pennsylvania	15.9
California	11.1	Michigan	12.5	Rhode Island	15.6
Colorado	10.1	Minnesota	12.3	South Carolina	12.2
Connecticut	14.3	Mississippi	12.2	South Dakota	14.3
Delaware	13.0	Missouri	13.7	Tennessee	12.5
Florida	18.3	Montana	13.3	Texas	10.1
Georgia	9.9	Nebraska	13.8	Utah	8.8
Hawaii	13.3	Nevada	11.5	Vermont	12.3
Idaho	11.3	New Hampshire	12.0	Virginia	11.3
Illinois	12.4	New Jersey	13.6	Washington	11.5
Indiana	12.5	New Mexico	11.4	West Virginia	15.2
Iowa	15.1	New York	13.3	Wisconsin	13.2
Kansas	13.5	North Carolina	12.5	Wyoming	11.5
Kentucky	12.5	North Dakota	14.4	(MODE CONTRACTOR	

b. Histograms are a way to display groups of quantitative data into bins (the bars) These bins have the same width and scale and are touching because the number line is continuous. To make a histogram you must first decide on an appropriate bin width and count how many observations are in each bin. The bins for

percentage of residents aged 54 or order have been started below for you.

c. Finish the chart of bin widths and then create a histogram using those bins on the

grid below. Be sure to include appropriate labels.

Bin Widths	Frequency
4 to < 6	1
6 to < 8	
8 to < 10	

				7		\Box	\neg	П	7	177		╗	\neg	\neg	\vdash	
-	\vdash	+	-	+	+	\rightarrow	-	\vdash	-	+		7	÷	+-	+	t
-	-		-	-	-	\rightarrow	-	\mapsto	+		\vdash	-	+	-	-	ŀ
_	ш		_	_	-	Щ.	_	ш	_	ш		4	_	_	_	Ļ
								П				П		т		
7			\rightarrow	_			-	П	7	111		\exists	\neg	\pm	\vdash	t
-	\vdash	+	\rightarrow	-	+	\rightarrow	-	\vdash	-		\vdash	\dashv	+	+	+	ŀ
-	-	+	-	-	+	\vdash	-	\vdash			-	\rightarrow	\rightarrow	-	\vdash	ŀ
				4			_	ш	_				4			L
				т				П						Т		
7	\vdash	-	\rightarrow	-	+	\neg	-	\vdash	_	111		\neg	\rightarrow	+	$^{-}$	t
-	\vdash	+	-	+	+	\vdash	-	\vdash	-			\rightarrow	+	+	+	ŀ
4	-		-	-	-	ш	-	\vdash	-	ш	\Box	_	-	-	-	Ļ
								ш		ш		_	_	_	\perp	
								П						Т		
				т				П				П		т	т	
-	\vdash	-	\rightarrow	-	+	\rightarrow	-	\vdash	-	-		\dashv	+	+-	+	t
-	\vdash	-	-	-	+	\rightarrow		\mapsto	-			-	+	-	+	⊦
_	-	-	-	-	-	ш.		\vdash	-			_	-	-	\vdash	Ļ
								ш				_			\perp	
												П				
	\vdash	-	-	+	+		-1-	\vdash	-1-	111		7	+	+	\vdash	
-	\vdash	+	-	+	+	\rightarrow	-	\vdash	-	Н		-	+		\vdash	ŀ
4	1	-	_	4		_	_	Н		ш		4	4	-	1	Ļ

Part III: Review Problems

$$z = \frac{x - \overline{x}}{s}.$$


- 1. Here is a formula that is used often in AP statistics:

 "Use your algebra skills...
 - a. If z = 2.5, x = 102, and x = 100, what is s? Show your work
 - b. If z = -3.35, x = 60, and s = 4, what is \overline{x} ? Show your work.
- The USDA reported that in 1990 each person in the United States consumed an average of 133 pounds of natural sweeteners. They also claim this amount has decreased by about 0.6 pounds each year.
 - a. If 1990 could be considered "year 0", which of the above numbers represents the slope and which represents the y-intercept?
 - b. What is the equation of the line of best fit using the slope and y-intercept above?
 - c. Predict the average consumption of sweeteners per person for the year 2005.
- 3. The following equation can be used to predict the average height of boys anywhere between birth and 15 years old: y = 2.79x + 25.64, where x is the age (in years) and y is the height (in inches).
 - a. What does the slope represent in this problem? Interpret it in the context of this problem/situation.
 - b. What does the y-intercept represent in this problem? Interpret it in context.

4. Hilary wonders if people of similar heights tend to date each other. She measures herself, her dormitory roommate, and the women in the adjoining rooms; then she measures the next man each woman dates. Here are the data (heights in inches):

Women	66	64	66	65	70	65	
Men	72	68	70	68	74	69	

a. Construct a scatterplot of the data.



- b. Describe the association between the heights of the women and the men they date.
- 5. A special lottery is to be held to select the student who will live in the only deluxe room in a dormitory. There are 100 seniors, 150 juniors, and 200 sophomores who applied. Each senior's name is placed in the lottery 3 times; each junior's name, 2 times; and each sophomore's name, 1 time. What is the probability that a senior's name will be chosen?
 - a. 1/8
 - b. 2/9
 - c. 2/7
 - d. 3/8
 - e. 1/2
- 6. Which of the following has a probability closest to 0.5?
 - a. The sun will rise tomorrow.
 - b. It will rain tomorrow.
 - c. You will see a dog with only three legs when you leave the room.
 - d. A fair die will come up with a score of 6 four times in a row.
 - e. There will be a plane crash somewhere in the world within the next five minutes.

7.	on the	in is tossed twice, what is the probability that on the first toss the coin lands heads and second toss the coin lands tails? (Hint: What are the possible outcomes when you toss twice?)
	a.	A. 1/6
	ь.	B. 1/3
	c.	C. 1/4
	d.	D. 1/2
	e.	E. 1
8.	If a co	in is tossed twice what is the probability that it will land either heads both times or tails
	both ti	mes?
	a.	A. 1/8
	Ъ.	B. 1/6
	c.	C. 1/4
	d.	D. 1/2
	e.	E. 1
9.		ate the following probabilities and arrange them in order from least to greatest. The probability that a fair die will produce an even number.
	b.	A random digit from 1 to 9 (inclusive) is chosen, with all digits being equally likely. The probability that when it's squared the answer will contain the digit 1.
	c.	The probability that a letter chosen from the alphabet will be a vowel.
	d.	A random number between 1 and 20 (inclusive) is chosen. The probability that its square root will not be an integer.
	e.	ORDER:

Part IV: AP Statistics Course Information

Read the following and answer the questions at the end:

Highlights from the AP Statistics Course Description

(from http://apcentral.collegeboard.com/apc/public/repository/ap-statistics-course-description.pdf)

Introduction

The Advanced Placement Program offers a course description and exam in statistics to secondary school students who wish to complete studies equivalent to a one semester, introductory, non-calculus-based, college course in statistics.

Statistics and mathematics educators who serve as members of the AP Statistics Development Committee have prepared the Course Description and exam to reflect the content of a typical introductory college course in statistics. The exam is representative of such a course and therefore is considered appropriate for the measurement of skills and knowledge in the field of introductory statistics.

In colleges and universities, the number of students who take a statistics course is almost as large as the number of students who take a calculus course. A July 2002 article in the *Chronicle of Higher Education* reports that the enrollment in statistics courses from 1990 to 2000 increased by 45 percent — one testament to the growth of statistics in those institutions. An introductory statistics course, similar to the AP Statistics course, is typically required for majors such as social sciences, health sciences and business. Every semester about 236,000 college and university students enroll in an introductory statistics course offered by a mathematics or statistics department. In addition, a large number of students enroll in an introductory statistics course offered by other departments. Science, engineering and mathematics majors usually take an upper-level calculus-based course in statistics, for which the AP Statistics course is effective preparation.

The Course

The purpose of the AP course in statistics is to introduce students to the major concepts and tools for collecting, analyzing and drawing conclusions from data. Students are exposed to four broad conceptual themes:

- 1. Exploring Data: Describing patterns and departures from patterns
- 2. <u>Sampling and Experimentation</u>: Planning and conducting a study
- 3. <u>Anticipating Patterns</u>: Exploring random phenomena using probability and simulation
- 4. <u>Statistical Inference</u>: Estimating population parameters and testing hypotheses

AP Statistics Course Content Overview

The topics for AP Statistics are divided into four major themes: exploratory analysis (20-30 percent of the exam), planning and conducting a study (10-15 percent of the exam), probability (20-30 percent of the exam), and statistical inference (30-40 percent of the exam).

- I. Exploratory analysis of data makes use of graphical and numerical techniques to study patterns and departures from patterns. In examining distributions of data, students should be able to detect important characteristics, such as shape, location, variability and unusual values. From careful observations of patterns in data, students can generate conjectures about relationships among variables. The notion of how one variable may be associated with another permeates almost all of statistics, from simple comparisons of proportions through linear regression. The difference between association and causation must accompany this conceptual development throughout.
- II. Data must be collected according to a well-developed plan if valid information is to be obtained. If data are to be collected to provide an answer to a question of interest, a careful plan must be developed. Both the type of analysis that is appropriate and the nature of conclusions that can be drawn from that analysis depend in a critical way on how the data was collected. Collecting data in a reasonable way, through either sampling or experimentation, is an essential step in the data analysis process.
- III. Probability is the tool used for anticipating what the distribution of data should look like under a given model. Random phenomena are not haphazard: they display an order that emerges only in the long run and is described by a distribution. The mathematical description of variation is central to statistics. The probability required for statistical inference is not primarily axiomatic or combinatorial but is oriented toward using probability distributions to describe data.
- IV. Statistical inference guides the selection of appropriate models. Models and data interact in statistical work: models are used to draw conclusions from data, while the data are allowed to criticize and even falsify the model through inferential and diagnostic methods. Inference from data can be thought of as the process of selecting a reasonable model, including a statement in probability language, of how confident one can be about the selection.

Topic Outline

The percentages in parentheses for each content area indicate the coverage for that content area in the exam.

I. Exploring Data: Describing patterns and departures from patterns (20%-30%)

Exploratory analysis of data makes use of graphical and numerical techniques to study patterns and departures from patterns. Emphasis should be placed on interpreting information from graphical and numerical displays and summaries.

- A. Constructing and interpreting graphical displays of distributions of univariate data (dotplot, stemplot, histogram, cumulative frequency plot)
 - 1. Center and spread
 - 2. Clusters and gaps
 - 3. Outliers and other unusual features
 - 4. Shape
- B. Summarizing distributions of univariate data
 - 1. Measuring center: median, mean
 - 2. Measuring spread: range, interquartile range, standard deviation
 - 3. Measuring position: quartiles, percentiles, standardized scores (z-scores)
 - 4. Using boxplots
 - 5. The effect of changing units on summary measures
- C. Comparing distributions of univariate data (dotplots, back-to-back stemplots, parallel boxplots)
 - 1. Comparing center and spread: within group, between group variation
 - 2. Comparing clusters and gaps
 - 3. Comparing outliers and other unusual features
 - 4. Comparing shapes
- D. Exploring bivariate data
 - 1. Analyzing patterns in scatterplots
 - 2. Correlation and linearity
 - 3. Least-squares regression line
 - 4. Residual plots, outliers, and influential points
 - 5. Transformations to achieve linearity: logarithmic and power transformations
- E. Exploring categorical data
 - 1. Frequency tables and bar charts
 - 2. Marginal and joint frequencies for two-way tables
 - 3. Conditional relative frequencies and association
 - 4. Comparing distributions using bar charts

II. Sampling and Experimentation: Planning and conducting a study (10%-15%)

Data must be collected according to a well-developed plan if valid information on a conjecture is to be obtained. This plan includes clarifying the question and deciding upon a method of data collection and analysis.

- A. Overview of methods of data collection
 - 1. Census
 - 2. Sample survey
 - 3. Experiment
 - 4. Observational study
- B. Planning and conducting surveys
 - 1. Characteristics of a well-designed and well-conducted survey
 - 2. Populations, samples, and random selection
 - 3. Sources of bias in sampling and surveys
 - 4. Sampling methods, including simple random sampling, stratified random sampling, and cluster sampling
- C. Planning and conducting experiments
 - 1. Characteristics of a well-designed and well-conducted experiment
 - 2. Treatments, control groups, experimental units, random assignments, and replication
 - 3. Sources of bias and confounding, including placebo effect and blinding
 - 4. Completely randomized design
 - 5. Randomized block design, including matched pairs design
- D. Generalizability of results and types of conclusions that can be drawn from observational studies, experiments, and surveys

III. Anticipating Patterns: Exploring random phenomena using probability and simulation (20%–30%)

Probability is the tool used for anticipating what the distribution of data should look like under a given model.

- A. Probability
 - 1. Interpreting probability, including long-run relative frequency interpretation
 - 2. "Law of Large Numbers" concept
 - 3. Addition rule, multiplication rule, conditional probability, and independence
 - 4. Discrete random variables and their probability distributions, including binomial and geometric
 - 5. Simulation of random behavior and probability distributions
 - 6. Mean (expected value) and standard deviation of a random variable, and linear transformation of a random variable
- B. Combining independent random variables
 - 1. Notion of independence versus dependence
 - 2. Mean and standard deviation for sums and differences of independent random variables

- C. The normal distribution
 - 1. Properties of the normal distribution
 - 2. Using tables of the normal distribution
 - 3. The normal distribution as a model for measurements
- D. Sampling distributions
 - 1. Sampling distribution of a sample proportion
 - 2. Sampling distribution of a sample mean
 - 3. Central Limit Theorem
 - 4. Sampling distribution of a difference between two independent sample proportions
 - 5. Sampling distribution of a difference between two independent sample means
 - 6. Simulation of sampling distributions
 - 7. t-distribution
 - 8. Chi-square distribution

IV. Statistical Inference: Estimating population parameters and testing hypotheses (30%-40%)

Statistical inference guides the selection of appropriate models.

- A. Estimation (point estimators and confidence intervals)
 - 1. Estimating population parameters and margins of error
 - 2. Properties of point estimators, including unbiasedness and variability
 - 3. Logic of confidence intervals, meaning of confidence level and confidence intervals, and properties of confidence intervals
 - 4. Large sample confidence interval for a proportion
 - 5. Large sample confidence interval for a difference between two proportions
 - 6. Confidence interval for a mean
 - 7. Confidence interval for a difference between two means (unpaired and paired)
 - 8. Confidence interval for the slope of a least-squares regression line
- B. Tests of significance
 - 1. Logic of significance testing, null and alternative hypotheses; p-values; oneand two-sided tests; concepts of Type I and Type II errors; concept of power
 - 2. Large sample test for a proportion
 - 3. Large sample test for a difference between two proportions
 - 4. Test for a mean
 - 5. Test for a difference between two means (unpaired and paired)
 - 6. Chi-square test for goodness of fit, homogeneity of proportions, and independence (one- and two-way tables)
 - 7. Test for the slope of a least-squares regression line

The Use of Technology

The AP Statistics course adheres to the philosophy and methods of modern data analysis. Although the distinction between graphing calculators and computers is becoming blurred as technology advances, at present the fundamental tool of data analysis is the computer. The computer does more than eliminate the drudgery of hand computation and graphing — it is an essential tool for structured inquiry.

Data analysis is a journey of discovery. It is an iterative process that involves a dialogue between the data and a mathematical model. As more is learned about the data, the model is refined and new questions are formed. The computer aids in this journey in some essential ways. First, it produces graphs that are specifically designed for data analysis. These graphical displays make it easier to observe patterns in data, to identify important subgroups of the data and to locate any unusual data points. Second, the computer allows the student to fit complex mathematical models to the data and to assess how well the model fits the data by examining the residuals. Finally, the computer is helpful in identifying an observation that has an undue influence on the analysis and in isolating its effects.

In addition to its use in data analysis, the computer facilitates the simulation approach to probability that is emphasized in the AP Statistics course. Probabilities of random events, probability distributions of random variables and sampling distributions of statistics can be studied conceptually, using simulation. This frees the student and teacher from a narrow approach that depends on a few simple probabilistic models.

Because the computer is central to what statisticians do, it is considered essential for teaching the AP Statistics course. However, it is not yet possible for students to have access to a computer during the AP Statistics Exam. Without a computer and under the conditions of a timed exam, students cannot be asked to perform the amount of computation that is needed for many statistical investigations. Consequently, standard computer output will be provided as necessary and students will be expected to interpret it.

Currently, the graphing calculator is the only computational aid that is available to students for use as a tool for data analysis on the AP Exam.

Formulas and Tables

Students enrolled in the AP Statistics course should concentrate their time and effort on developing a thorough understanding of the fundamental concepts of statistics. They do not need to memorize formulas. [A] list of formulas and tables will be furnished to students taking the AP Statistics Exam.

The Exam

The AP Statistics Exam is 3 hours long and seeks to determine how well a student has mastered the concepts and techniques of the subject matter of the course. This paper-and-pencil exam consists of (1) a 90-minute multiple-choice section testing proficiency in a wide variety of topics, and (2) a 90-minute free-response section requiring the student to

answer open-ended questions and to complete an investigative task involving more extended reasoning. In the determination of the score for the exam, the two sections will be given equal weight.

Each student will be expected to bring a graphing calculator with statistical capabilities to the exam. The expected computational and graphic features for these calculators are described in an earlier section. Minicomputers, pocket organizers, electronic writing pads and calculators with qwerty (i.e., typewriter) keyboards will not be allowed. Calculator memories will not be cleared. However, calculator memories may be used only for storing programs, not for storing notes. A student may bring up to two calculators to the exam.

Multiple-Choice Questions

On the AP exam, there will be 40 multiple choice questions with five answer choices each.

Multiple-choice scores are based on the number of questions answered correctly. Points are not deducted for incorrect answers, and no points are awarded for unanswered questions. Because no points are deducted for incorrect answers, students are encouraged to answer all multiple-choice questions. On difficult questions, students should eliminate as many incorrect answer choices as they can, and then make an educated guess among the remaining choices.

Free-Response Questions

In the free-response section of the AP Statistics Exam, students are asked to answer five questions and complete an investigative task. Each question is designed to be answered in approximately 12 minutes. The longer investigative task is designed to be answered in approximately 30 minutes.

Statistics is a discipline in which clear and complete communication is an essential skill. The free-response questions on the AP Statistics Exam require students to use their analytical, organizational and communication skills to formulate cogent answers and provide students with an opportunity to:

- Relate two or more different content areas (i.e., exploratory data analysis, experimental design and sampling, probability, and statistical inference) as they formulate a complete response or solution to a statistics or probability problem.
- Demonstrate their mastery of statistics in a response format that permits the students to determine *how* they will organize and present each response.

The purpose of the investigative task is not only to evaluate the student's understanding in several content areas but also to assess his or her ability to integrate statistical ideas and apply them in a new context or in a nonroutine way.

Scoring of Free-Response Questions

The evaluation of student responses on the free-response section of the AP Statistics Exam reflects the dual importance of statistical knowledge and good communication. The free-response questions and the investigative task are scored "holistically"; that is, each question's response is evaluated as "a complete package." With holistic scoring, after reading through the details of a student's response, the scorer makes a judgment about the *overall quality* of the response. This is different from "analytic" scoring, where the individual components to be evaluated in a student's response are specified in advance, and each component is given a value counting toward the overall score.

The AP Statistics scoring guideline (rubric) for each free-response question has five categories, numerically scored on a 0 to 4 scale. Each of these categories represents a level of quality in the student response. These levels of quality are defined on two dimensions: statistical knowledge and communication. The specific rubrics for each question are tied to a general template, which represents the descriptions of the quality levels as envisioned by the Development Committee. This general template is given in the following table, "A Guide to Scoring Free-Response Statistics Questions."

A GUIDE TO SCORING FREE-RESPONSE STATISTICS QUESTIONS: THE CATEGORY DESCRIPTORS

Score Descriptors	Statistical Knowledge	Communication		ı	ı
	Identification of the important components of the problem Demonstration of the statistical concepts and techniques that result in a correct solution of the problem	Explanation of what was done and why, along with a statement of conclusions drawn in context	2 Developing	shows some understanding of the problem's statistical components shows little in the way of a relationship among these components uses some appropriate	 provides some explanation of what was done, but explanation may be vague and difficult to interpret and terminology may be somewhat inappropriate
4 Complete	shows complete understanding of the problem's statistical components synthesizes a correct relationship among these components, perhaps with	ding of the problem's organized, and complete explanation, using correct terminology, of what was done and why ts, perhaps with organized, and complete explanation, using correct terminology, of what was done and why		statistical techniques but misses or misuses others may have arithmetic errors that result in unreasonable answers	uses diagrams in an incomplete or ineffective way, or diagrams may be missing states a conclusion that is incomplete
	novelty and creativity uses appropriate and correctly executed statistical techniques may have minor arithmetic errors but answers are still reasonable	assumptions and caveats uses diagrams or plots when appropriate to aid in describing the solution states an appropriate and complete conclusion in context	1 Minimal	shows limited understanding of the problem's statistical components by failing to identify important components shows little ability to organize a solution and may use irrelevant information misuses or fails to use	 provides minimal or unclear explanation of what was done or why it was done, and explanation may not match the presented solution fails to use diagrams
3 Substantial	shows substantial understanding of the problem's statistical components synthesizes a relationship among these components,	 provides a clear but not perfectly organized explanation, using correct terminology, of what was done and why, 		appropriate statistical techniques • has arithmetic errors that result in unreasonable answers	or plots, or uses them incorrectly • states an incorrect conclusion or fails to state a conclusion
	perhaps with minor gaps uses appropriate statistical techniques may have arithmetic errors but answers are still reasonable	but explanation may be slightly incomplete may miss necessary assumptions or caveats uses diagrams or plots when appropriate to aid in describing the	0	shows little to no understanding of statistical components	provides no explanation of a legitimate strategy

states a conclusion that follows from the analysis but may be somewhat incomplete

• The AP Statistics Exam will occur at noon on Thursday, May 16, 2019.

QUESTIONS

the exam that corresponds to that area
a)
b)
c)
d)
2) The AP Statistics exam is hours long, in total.
3) 50% of your score on the exam comes from the section and the remaining 50% comes from the section.
4) There are multiple choice questions and you have minutes to complete them.
5) There are standard free response questions followed by a larger free response question, called the
6) True or False: Formulas are provided for you on the AP exam. TRUE FALSE
7) Free responses questions are scored out of points.
8) True or False: It is possible to receive full credit on a free response question if a minor mathematical error is present in your response. TRUE FALSE
9) True or False: There is a ¼ point penalty for each incorrect multiple choice answer given. TRUE FALSE
10) True or False: AP Statistics is a calculus-based course. TRUE FALSE
11) True or False: Students are expected to know how to read and interpret computer output or the AP Statistics exam. <i>TRUE FALSE</i>